

LAMINATI A CALDO (UNI EN 10111)**TABELLE DI COMPARAZIONE**

EUROPA	MATERIALE	I	D	E	F	GB	USA	JAPAN
EN 10111:98	N°	UNI 5867:73	DIN 1614/2:86	UNE 36093:91	NF A36-301:92	BS 1449/1:91	ASTM:96	JIS G 3131:96
-	-	Fe P10	-	-	-	HR4	-	-
DD11	1.0332	Fe P11	StW22	AP11	1C	HR3	A 569 HRCQ	SPHC
DD12	1.0398	Fe P12	StW23	AP12	-	HR2	A 621 HRDQ	SPHD
DD13	1.0335	Fe P13	StW24	AP13	3C	HR1	A 622 HRDQSK	SPHE
DD14	1.0389	-	-	-	-	-	-	-